



February 6, 2023

Ventura County Air Pollution Control District  
Attn.: Keith Macias, Manager Compliance Division  
4567 Telephone Road, 2nd Floor  
Ventura, CA 93003

RECEIVED  
VENTURA COUNTY AIR POLLUTION CONTROL DISTRICT  
20 FEB 10 AM 10:52  
A.P.C.D.  
Via USPS Priority

**Subject: 2023 Title V Annual Compliance Certification  
Ventura Harbor Station, Facility ID 00082**

Dear Mr. Macias:

Enclosed is the Title V Annual Compliance Certification for Crimson California Pipeline, L.P.'s Ventura Harbor Station Facility ID 00082. This report covers the compliance period of January 1, 2022 through December 31, 2022.

Should you have any questions, please do not hesitate to contact me any time at (562) 285-4151.

Respectfully,

*Valerie Muller*

Valerie Muller  
Environmental Specialist

CC: Ms. Roshni Brahmbhatt, Chief, EPA Region 9

Enclosures: Title V Annual Compliance Certification



Ventura County  
Air Pollution  
Control District

**ANNUAL COMPLIANCE CERTIFICATION  
SIGNATURE COVER FORM**

TV Permit # 00082

A copy of each Annual Compliance Certification shall be submitted to EPA, Region 9, at the following address:

Ms. Roshni Brahmbhatt  
Enforcement & Compliance Enforcement Division  
EPA Region 9  
75 Hawthorne Street  
San Francisco, CA 94105

**Confidentiality**

All information in a Part 70 permit compliance certification is public information. The Part 70 permit is also public information.

**Certification by Responsible Official**

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in this compliance certification are true, accurate, and complete.

Signature and Title of Responsible Official:  Title: Senior VP Engineering & Regulatory Compliance	Date: 
--	--

Time Period Covered by Compliance Certification <u>01</u> / <u>01</u> / <u>22</u> (MM/DD/YY) to <u>12</u> / <u>31</u> / <u>22</u> (MM/DD/YY)
---

## **Permit Attachment Form**



## ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 22 (MM/DD/YY) to 12 / 31 / 22 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Att. No. 71.2N2, Rules 71.2.B.4, 71.2.C.1</p>	<p>D. Frequency of monitoring: <b>Annually</b></p>
<p>B. Description: External floating roof crude oil storage tank ≥ 40,000 gallons Rules 71.2B4, 71.2C.1, 71.2D, 71.2E</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>Rule 71.2 Inspection</b></p>
<p>C. Method of monitoring: Tank has been OOS (certified gas-free on Nov 9th 2021) during the compliance period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Att. No. 71.4N1, Rules 71.4.B.2, 71.4.C.2</p>	<p>D. Frequency of monitoring: <b>Quarterly</b></p>
<p>B. Description: Sumps, pits, and ponds with covers. Fugitive emissions monitoring and integrity of cover</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>EPA Method 21</b></p>
<p>C. Method of monitoring: Quarterly fugitive emissions (Rule 74.10) inspections were conducted 3/23, 6/22, 9/29, and 12/08/2022. The integrity of the cover was verified. No leaks greater than 10,000 ppm were discovered.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Att. No. 74.9N3, Rules 74.9.B.1 and B.2</p>	<p>D. Frequency of monitoring: <b>Quarterly</b></p>
<p>B. Description: Stationary natural gas fired - rich-burn internal combustion engine quarterly inspections and biennial source test.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>CARB Method 100</b></p>
<p>C. Method of monitoring: Both engines are permanently OOS. The last time G-1 (Serial No. 72B01367) was monitored was on 9/21/2021; G-3 (Serial No. 54050) has been exempt for years. The last Biennial Source Test was performed on 1/28/2021.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



## ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 22 (MM/DD/YY) to 12 / 31 / 22 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: <b>Att. No. 40CFR63ZZZZN5</b></p>	<p>D. Frequency of monitoring: Every 1,440 hours or annually, whichever comes first</p>
<p>B. Description: <b>RICE MACT for non-emergency 4SRB =&lt; 500 HP oil and filter change maintenance.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>Both engines are OOS.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. PO0082PC1 - Cond. No. 1, Rule 26</b></p>	<p>D. Frequency of monitoring: <b>Monthly</b></p>
<p>B. Description: <b>Throughput and consumption limits.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>Both engines as well as the tank are OOS.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. PO0082PC1 - Cond. No. 2, Rule 26</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Combustion equipment shall burn only natural gas.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>Both engines are OOS.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



## ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 22 (MM/DD/YY) to 12 / 31 / 22 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Att. No. PO0082PC1 - Cond. No. 3, Rule 29</p>	<p>D. Frequency of monitoring: <b>Monthly</b></p>
<p>B. Description: Solvent usage and exemptions.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: Safety data sheets and additional information of any solvents used during this compliance period obtained and reviewed. Usage of required solvents logged monthly.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Att. No. PO0082PC2, Rules 26 and 74.9</p>	<p>D. Frequency of monitoring: <b>Quarterly</b></p>
<p>B. Description: BACT for Caterpillar Engine G-1 - emissions limits (ROC, NOx, CO). Monitor Air:Fuel ratio controller readings quarterly.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>CARB Method 100</b></p>
<p>C. Method of monitoring: Both engines are OOS.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Att. No. 50, Rule 50</p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: Opacity observation at the facility.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>EPA Method 9</b></p>
<p>C. Method of monitoring: Both engines are OOS.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



## ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 22 (MM/DD/YY) to 12 / 31 / 22 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: <b>Att. No. 54.B.1, Rule 54.B.1</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: Sulfur emissions from combustion operations at point of discharge; follow monitoring requirements under Rule 64.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: Both engines are OOS.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> <i>*If yes, attach Deviation Summary Form</i></p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 54.B.2, Rule 54.B.2</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: Emission of sulfur compounds.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: Both engines are OOS.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> <i>*If yes, attach Deviation Summary Form</i></p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 55, Rule 55</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: Fugitive Dust.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: No dust generating activities were conducted at this facility during this compliance period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> <i>*If yes, attach Deviation Summary Form</i></p>



## ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 22 (MM/DD/YY) to 12 / 31 / 22 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: <b>Att. No. 57.1, Rule 57.1</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Particulate matter emissions from fuel burning equipment.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>This facility does not have any fuel burning equipment such as boilers, steam generators, process heaters, water heaters, flares, and gas turbines. Internal combustion engines do not apply.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>            G. Compliance Status? (C or I): <u>C</u>            H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>            *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 64.B.1, Rule 64.B.1</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Sulfur content of fuels - gaseous fuel requirements.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>Both engines are OOS.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>            G. Compliance Status? (C or I): <u>C</u>            H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>            *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 74.6, Rule 74.6</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Solvent cleaning activities.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>No reportable solvents used at this facility during this compliance period.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>            G. Compliance Status? (C or I): <u>C</u>            H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>            *If yes, attach Deviation Summary Form</p>





## ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 22 (MM/DD/YY) to 12 / 31 / 22 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: <b>Att. No. 74.10, Rule 74.10</b></p>	<p>D. Frequency of monitoring: <b>Quarterly</b></p>
<p>B. Description: <b>Fugitive leak and leak inspections.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>EPA Method 21</b></p>
<p>C. Method of monitoring: <b>Quarterly component leak detection inspections were conducted on 3/23, 6/22, 9/29, and 12/08/2022. Routine surveillance at this unmanned facility recorded on fugitive emission log.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>  G. Compliance Status? (C or I): <u>C</u>  H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>  *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 74.11.1, Rule 74.11.1</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Large water heaters and small boilers.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>This facility is not equipped with large water heaters or small boilers.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>  G. Compliance Status? (C or I): <u>C</u>  H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>  *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 74.22, Rule 74.22</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Requirements for natural gas-fired fan-type central furnaces,</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>This facility is not equipped with fan-type central furnaces.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>  G. Compliance Status? (C or I): <u>C</u>  H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>  *If yes, attach Deviation Summary Form</p>



## ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 22 (MM/DD/YY) to 12 / 31 / 22 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: <b>Att. No. 74.1, Rule 74.1</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Abrasive blasting.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>No abrasive blasting activities were conducted at this facility during this compliance period.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>            G. Compliance Status? (C or I): <u>C</u>            H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>            *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 74.2, Rule 74.2</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Architectural coatings.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>No architectural coatings were applied at this facility during this compliance period.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>            G. Compliance Status? (C or I): <u>C</u>            H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>            *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 74.26, Rule 74.26</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Crude oil storage tank degassing operations.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>EPA Method 21</b></p>
<p>C. Method of monitoring: <b>The COST was degassed from 9/21 - 9/28/2021 with an air pollution control device that had a vapor destruction and removal efficiency of at least 95 percent until the vapor concentration was less than 10,000 ppmv for at least one hour. The tank has been OOS since.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>            G. Compliance Status? (C or I): <u>C</u>            H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>            *If yes, attach Deviation Summary Form</p>



## ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 22 (MM/DD/YY) to 12 / 31 / 22 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: <b>Att. No. 74.29N3, Rule 74.29</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>Soil decontamination operation.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>No soil decontamination activities were conducted at this facility during this compliance period.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>            G. Compliance Status? (C or I): <u>C</u>            H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>            *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: <b>Att. No. 40CFR.61.M, Rule 40 CFR Part 61, Subpart M</b></p>	<p>D. Frequency of monitoring: <b>Intermittent</b></p>
<p>B. Description: <b>National emission standards for asbestos.</b></p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable <b>N/A</b></p>
<p>C. Method of monitoring: <b>No asbestos removal, renovation, or demolition activities were conducted at this facility during this compliance period.</b></p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u>            G. Compliance Status? (C or I): <u>C</u>            H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u>            *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #:</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description:</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p>
<p>C. Method of monitoring:</p>	<p>F. Currently in Compliance? (Y or N): _____            G. Compliance Status? (C or I): _____            H. *Excursions, exceedances, or other non-compliance? (Y or N): _____            *If yes, attach Deviation Summary Form</p>

## **Source Test Summary Form**

**Engines and tank have been OOS  
during the entire compliance period**

**Attachment 71.2N3**

**Annual Tank Seal Inspection Report**

**Engines and tank have been OOS  
during the entire compliance period**

**Attachment 71.4N1**

**Rule 74.10 Quarterly Component Leak Report**





**Ventura County APCD**  
Rule 74.10 Component Leak Report

**Q1/2022**

**Company** Crimson Pipeline, LLC  
**Facility** Ventura Harbor Pump Station  
1200 Spinnaker Dr., Ventura, CA 93003

**District ID** 00082  
**Contact** EH&S Department

Component Group	Accessible	Inaccessible	Leaks	Percentage
Stuffing Box	0	0	0	0
Threaded Component	2	0	0	0
Valve	1	0	0	0
Flange	0	0	0	0
Compressor	0	0	0	0
Pump	0	0	0	0
Atmospheric PRD	0	0	0	0
Other	1	0	0	0

**No Reportable Leaks for this Quarter**  
**Inspected on 03/23/2022**



Ventura County APCD  
Rule 74.10 Component Leak Report

Q2/2022

Company Crimson Pipeline, LLC  
Facility Ventura Harbor Pump Station  
1200 Spinnaker Dr., Ventura, CA 93003

District ID 00082  
Contact EH&S Department

Component Group	Accessible	Inaccessible	Leaks	Percentage
Stuffing Box	0	0	0	0
Threaded Component	2	0	0	0
Valve	1	0	0	0
Flange	0	0	0	0
Compressor	0	0	0	0
Pump	0	0	0	0
Atmospheric PRD	0	0	0	0
Other	1	0	0	0

No Reportable Leaks for this Quarter  
Inspected on 06/22/2022



Ventura County APCD  
Rule 74.10 Component Leak Report

Q3/2022

**Company** Crimson Pipeline, LLC  
**Facility** Ventura Harbor Pump Station  
1200 Spinnaker Dr., Ventura, CA 93003

**District ID** 00082  
**Contact** EH&S Department

Component Group	Accessible	Inaccessible	Leaks	Percentage
Stuffing Box	0	0	0	0
Threaded Component	2	0	0	0
Valve	1	0	0	0
Flange	0	0	0	0
Compressor	0	0	0	0
Pump	0	0	0	0
Atmospheric PRD	0	0	0	0
Other	1	0	0	0

**No Reportable Leaks for this Quarter  
Inspected on 09/29/2022**



**Ventura County APCD**  
Rule 74.10 Component Leak Report

**Q4/2022**

**Company** Crimson Pipeline, LLC  
**Facility** Ventura Harbor Pump Station  
1200 Spinnaker Dr., Ventura, CA 93003

**District ID** 00082  
**Contact** EH&S Department

Component Group	Accessible	Inaccessible	Leaks	Percentage
Stuffing Box	0	0	0	0
Threaded Component	2	0	0	0
Valve	1	0	0	0
Flange	0	0	0	0
Compressor	0	0	0	0
Pump	0	0	0	0
Atmospheric PRD	0	0	0	0
Other	1	0	0	0

**No Reportable Leaks for this Quarter**  
**Inspected on 12/08/2022**

**Attachment 74.9N3**

**Quarterly Emissions Screenings / Biennial Source  
Test**

**Engines and tank have been OOS  
during the entire compliance period**

**40 CFR 63ZZZN7**

**Maintenance Records and Hours of Operations**

**Engines and tank have been OOS  
during the entire compliance period**



**Attachment P00386PC1**

**Monthly Throughput and Facility Fuel Consumption**



**HARBOR STATION FUEL USE & SEALS IN OPERATION 2022**

MONTH	FUEL (CUBIC FEET) G1	YEAR %	FUEL (CUBIC FEET) G2	YEAR %	FUEL USE TOTAL (CUBIC FEET)	BBLs. TANK THROUGHPUT	HOURS G1 YEAR %	HOURS G3 YEAR %	HOURS TOTAL	SOLVENT (GALLONS)	**PAINT (GALLONS)	HOURS TOTAL	SEALS IN OP YEAR %	BBLs. TANK THROUGHPUT	1000 GAL THROUGHPUT YEAR %	1000 GAL THROUGHPUT YEAR
JAN	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
FEB	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
MAR	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
APR	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
MAY	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
JUN	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
JUL	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
AUG	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
SEP	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
OCT	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
NOV	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
DEC	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0
TOTAL	0	#DIV/0!	0	#DIV/0!	0	0	0	#DIV/0!	0	0	0	0	#DIV/0!	0	#DIV/0!	0.0

\*ALSO REFER TO FUEL USE ROLLING TWELVE MONTH TABLE ATTACHED

**Attachment Number 50**

**Opacity Observation/Fugitive Emission Inspection  
Logs**

**Engines and tank have been OOS  
during the entire compliance period**

**Attachment Number 74.26**

**Crude Oil Storage Tank Degassing Operations**

**Engines and tank have been OOS  
during the entire compliance period**