Enforcement Activity Update

Enforcement Activities									
DECEMBER 2020									
Inspections	Month	Fiscal Year*	Violations	Month	Fiscal Year				
Unpermitted	0	0	Breakdowns Received	20	60				
Asbestos Inspections	0	6	Complaints Received	13 94					
PERP Inspections	5	49	Notices of Violation Issued	2	41				
			Notices to Comply Issued	0	2				
Compliance / Follow-up / All Other Inspections	414	1,261	Cases Settled after Office Conference	9	46				
Total: Inspections / Verifications	419	1,316	Total: Settlement / \$14,250 \$62,		\$62,500				

*Fiscal Year: July-June

Sources Operating Under Variance							
DECEMBER 2020							
No./Type	Facility/Location	Source	Rule	End Date	Status		
, ,	Santa Paula Water Recycling Facility	Aerisa Ionized Air System	29.C (PC 14)	9/13/2021	On Schedule		
887/Interim FID #08044	Santa Paula Water Recycling Facility	Hawk Emission Control System	29.C (PC 14)	2/14/2021	On Schedule		
888/Regular FID #08044	Santa Paula Water Recycling Facility	Hawk Emission Control System	29.C (PC 14)	Pending	Pending		

	Sources with Notices of Violation DECEMBER 2020							
NOV No	Facility Name	City	Comment	NOV Date				
24411	Robbins Auto Top, LLC	OXNARD	Permit Condition Not Met	12/18/2020				
23884	Aztlan Body Shop	OXNARD	Operating Without a Permit	12/31/2020				

Sources with Notices of Violation - Cont. DECEMBER 2020 City **NOV No** Facility Name Comment **NOV** Date